

**ORDINANCE 2021-01**  
**SEWER SERVICE**  
**ADOPTED: March 4, 2021**  
**EFFECTIVE: March 17, 2021**

The Village of Beulah ordains as follows:

**DIVISION 1 - Definitions**

**Section 1. Definitions and word usage.**

For purposes of this ordinance, and unless the context specifically indicates otherwise, the meaning of words and terms used in this ordinance shall be as follows:

**BOD** (denoting “biochemical oxygen demand”) - The quantity of oxygen utilized by microorganisms in the biochemical oxidation of organic matter in wastewater under standard laboratory procedure in five days at 20° centigrade, expressed in milligrams per liter.

**BUILDING DRAIN** - That part of the lowest horizontal piping of a drainage system which receives the discharges from waste drainage pipes inside the walls of the building and conveys it to the building sewer, beginning five feet (1.5 meters) outside the inner face of the building wall.

**BUILDING SEWER** - The extension from the building drain to the public sewer or other place of disposal.

**COMPATIBLE POLLUTANT** - Any pollutant which can be treated and removed to a substantial degree in the wastewater treatment plant. Such pollutants are usually designated by biochemical oxygen demand, suspended solids, pH, fecal coliforms, phosphorus and its compounds, and nitrogen and its compounds.

**COUNTY** - Benzie County.

**DEBT SERVICE** - The interest and principal payments required to repay monies borrowed to construct the wastewater collection, treatment, and disposal systems.

**DISCHARGE** - Spilling, leaking, seeping, pumping, pouring, emitting, emptying, dumping or depositing.

**DOMESTIC WASTEWATERS** - Liquid wastes normally emanating from residential living units and resulting from the day-to-day activities usually considered to be carried on in a domicile. Wastes emanating from other users and which are to be considered domestic waste shall be of the same nature and strength and have the same flow rate characteristics.

FOOTING DRAIN -A buried pipe surrounding the building for the purpose of draining groundwater away from the building footing.

GARBAGE -Solid wastes from the preparation, cooking and dispensing of food and from handling, storage and sale of produce.

GREASE -The melted or rendered fat of animals, especially when in a soft state.

GROUNDWATER -The water beneath the surface of the ground, whether or not flowing through known or definite channels.

INCOMPATIBLE POLLUTANT - Any pollutant that a sewage treatment plant is not designed to treat and, therefore, is not effectively removed from the wastewater.

INDUSTRIAL WASTEWATERS - The liquid wastes from industrial processes as distinct from domestic wastewaters.

INFILTRATION/INFLOW - Water that enters a sewer system through broken or leaky pipes and manholes or through illegal roof or footing drains and catch basins connected to the sanitary sewer.

NATURAL OUTLET - Any outlet into a watercourse, pond, ditch, lake or other body of surface or ground water.

NORMAL STRENGTH DOMESTIC WASTEWATER - Wastewaters which have a BOD of 200 milligrams per liter, suspended solids of 200 milligrams per liter, phosphorus of 12 milligrams per liter, have a pH of between 6.0 and 9.0, and do not contain a concentration of other constituents which will interfere with the normal wastewater treatment process.

NPDES PERMIT - National Pollution Discharge Elimination System Permit. According to the Federal Water Pollution Control Act, as amended by Public Law 92-500 and Public Law 95-217, it prohibits any person from discharging pollutants into a waterway from a point source unless the discharge is authorized by a permit issued either by the U.S. Environmental Protection Agency or by an approved state agency.

OIL - Oil of any kind, in any form, including but not limited to petroleum, fuel oil, sludge and oil refuse, gasoline, grease and oil mixed with waste.

OPERATION AND MAINTENANCE - The satisfactory provision for assuring proper and efficient functioning of the treatment works, all work, materials, equipment, utilities, and other effort required to operate and maintain the wastewater transportation and treatment systems consistent with insuring adequate treatment of wastewater to produce an effluent in compliance with the NPDES permit and other applicable state and federal regulations and includes the cost of replacements.

OTHER WASTES - Garbage, refuse, decayed wood, bark, and other wood debris, wastes from industrial processes and other substances which are not included within the definitions of domestic and industrial wastewaters.

OWNER -The owners or owner of the freehold of the premises or lesser estate therein, a mortgagee or vendee in possession, an assignee of rents, receiver, executor, trustee, lessee or any other person, firm, or corporation directly or indirectly in control of a building, structure or real property or their duly authorized agent.

PERMITEE or PERMIT HOLDER - Any person who owns, operates, possesses or controls an establishment or plant being operated under a valid industrial waste permit to discharge waste into the sewer system of the service area.

PERSON - Any individual, firm, trust, partnership, company, association, society, corporation or group.

pH - The logarithm of the reciprocal of the hydrogen ion concentration in moles per liter.

POLLUTION - The placing of any noxious or deleterious substance in any waters of the County in quantities which are or may be potentially harmful or injurious to human health or welfare, animal or aquatic life, or property, or reasonably interfere with the enjoyment of life or property, including outdoor recreation.

PRETREATMENT - Treatment of wastewaters at the sources prior to their introduction into the sewerage system.

PRIVATE SEWAGE DISPOSAL SYSTEM - A system for disposal of domestic sewage by means of a septic tank or mechanical treatment, designed for use apart from a public system.

PRODUCER - Any person who owns, operates, possesses, or controls an establishment or plant, whether or not a permittee.

PUBLIC SEWER - A sewer in which all owners of abutting properties have equal rights and that is owned and maintained and controlled by Village authority.

REPLACEMENT- Expenditures for obtaining and installing equipment, accessories, or appurtenances which are necessary during the service life of the treatment works to maintain the capacity and performance, for which such works were designed and constructed.

ROOF DRAIN - A system for collection of precipitation which falls on the building roof and includes roof gutters and downspouts.

SANITARY SEWAGE (wastewater) -The liquid or water-carried waste from sanitary plumbing facilities and characterized by a composition typical of the wastes from an average residential condition.

**SANITARY SEWER**-A sewer which carried sewage and to which storm, surface and ground waters are not intentionally admitted.

**SERVICE AREA** - Any land area in the Beulah, Michigan, planning area which is serviced by the wastewater collection and treatment facilities under the jurisdiction of the Village of Beulah.

**SEWAGE** - A combination of the water-carried wastes from residences, business buildings, institutions and industrial establishments, together with such ground, surface, and storm waters as may be present.

**SEWAGE TREATMENT PLANT** - Any arrangement of equipment and structures used for treating sewage.

**SEWAGE WORKS OR SYSTEM** - All facilities for collecting, pumping, treating and disposing of sewage.

**SEWER**- Any pipe, tile, tube or conduit for carrying sewage.

**SEWER USE CHARGE** -The fees billed to all customers attached to the public sewer for support of the costs of the sewage works. The user charges supply funds to cover the costs of operation and maintenance, debt service, replacement and administrative services.

**SLUG** - Any discharge of water, sewage or industrial waste which in concentration of any given constituent or in quantity of flow exceeds for any period of duration longer than 15 minutes, more than five times the average twenty-four-hour concentration or flow rate during normal operation.

**STANDARD METHODS** - The most recent edition of Standard Methods of the Examination of Water and Wastewater, published by the American Public Health Association, a copy of which is on file with the Village.

**STORM SEWER or STORM DRAIN** - A sewer intended to carry only storm waters, surface runoff, street wash water, subsoil drainage, and non-contact cooling water.

**STREAM** - Any river, creek, slough, or natural watercourse in which water usually flows in a defined bed or channel. It is not essential that the flow be uniform or uninterrupted.

**SURFACE WATERS** - Water upon the surface of the earth. whether contained in bounds created naturally or artificially or diffused.

**SUSPENDED SOLIDS (SS)** - Solids that either float on the surface of, or are in suspension in, water, sewage, or other liquids, and which are removable by laboratory filtering.

**TENANT**- A person who leases property from an owner.

TEST METHODS (STANDARD METHODS) - As specified in the latest edition of Methods for Chemical Analysis of Water and Waste, U.S. EPA: Standard Methods for the Examination of Water and Wastewater, APHA; and Annual book of Standards, Part 23, Water, Atmospheric Analysis, ASTM; Guidelines Establishing Test Procedures for Analysis of Pollutants (October 13, 1973, Federal Register).

UNIT -

- a. Each lot, parcel of land or building having a connection to the municipal sewage system or is eligible for such a connection.
- b. Each residence is a separate unit, regardless of whether it is in a connected structure, such as duplex, flat or apartment.
- c. Each lot in a mobile home park, where permanent trailers are stationed, is a unit. Transient lots are not separate units for the purpose of this article.
- d. A group of cabins or motel rooms operated as a transient facility is a single unit. Should the use of a single cabin or group of cabins change to permanent residential, then each such residence will become a separate unit. A combination of transient cabins and a residence which is used by the manager or owner, constitutes two units. For the purpose of this article, any unit rented on a daily or weekly basis is a transient facility.
- e. Each individual business, which receives sewer service within its occupied space, is a separate unit even though it might be housed along with one or more other business in a single structure or on a single lot or parcel of land with a common landlord.
- f. Combinations of any of the above are each a separate unit.

UNIT, NEW -

- a. Any unit on a parcel of property that was formerly vacant constructed after the effective date of this Ordinance.
- b. Any reconstruction, repair, replacement or remodeling of an existing unit to in excess of 50 percent of its cubic content or 50 percent of its assessed valuation.
- c. Any new mobile home on an existing mobile home lot or any transfer of ownership of an existing mobile home.

USER - Any person, establishment or owner who discharges any domestic sewage or industrial waste into the sanitary sewer system of the service area.

USER CHARGE - A charge levied on users of treatment works for the cost of operation and maintenance and replacement of such works.

VILLAGE-The Village of Beulah, Michigan.

WASTEWATER - Any liquid or water-carried waste from residences, business buildings, institutions, industrial, commercial and governmental establishments, watercraft or floating facilities, or other places, together with such groundwater infiltration, surface waters and storm waters as may be present.

WATERCOURSE - A channel in which a flow of water occurs, either continuously or intermittently.

“Shall” is mandatory; “may” is permissive.

## **DIVISION 2 - Use of Public Sewers Required**

### **Section 1. Unlawful discharge.**

It shall be unlawful for any person to place, discharge or permit to be discharged on public or private property within the Village of Beulah, or in any area under the jurisdiction of the Village, any human or animal excrement, garbage which has been processed by a garbage disposal unit, or other waste or wastewater, unless licensed to do so by the Village, except when such discharge is into the Village sanitary sewer system by a lawful connection.

### **Section 2. Discharge to natural outlet.**

It shall be unlawful to discharge or cause to be discharged into any storm sewer, natural watercourse, natural outlet, or artificial watercourse within the service area or in any area under the jurisdiction of the Village any sewage or other polluted waters, except where suitable treatment has been provided in accordance with subsequent provisions of this Division and the standards of the Department of Environment, Great Lakes, and Energy of the State of Michigan.

### **Section 3. Private wastewater disposal.**

Except as hereinafter provided, it shall be unlawful to construct or maintain any privy, privy vault, septic tank, cesspool, or other facility intended or used for the disposal of sewage.

### **Section 4. Mandatory connection.**

A. The owner of any Unit, house, building, or property used for human occupancy, employment, recreation, or other purposes, situated within the service area and abutting on any street, alley, or right-of-way in which there is now located or may in the future be located a public sanitary sewer of the Village, is hereby required at his or her expense to install suitable plumbing facilities therein, in accordance with the plumbing code then in effect and enforced within the Village, and to connect such facilities directly with the proper public sewer and/or public water system in accordance with the provisions of this Division. Connection with the public sewer system shall be required within 90 days after the date of official notice to connect or if connection is otherwise required by the County Health Department or the State.

B. Upon the failure to complete connection within the 90-day period provided in Subsection (A) above, the Village shall require the connection to be made forthwith after notice by first class mail or certified mail or posting on the property to the owners, occupants or persons having control of the property on which the structure is located. The notice shall give the approximate

location of the sanitary sewer for connection of the Unit involved and shall advise such persons of the requirements and the enforcement provisions of this Ordinance.

C. If any Unit in which sanitary sewage originates is not connected within the period provided in the written notice pursuant to Subsection (B) above, the Village, in addition to the remedies otherwise provided by this Ordinance, may bring an action for a mandatory injunction or order in the applicable Benzie County court, to compel the owner to immediately connect to the sanitary sewer. The Village in one or more such actions may join any number of owners of Unit to compel each owner to connect to the sanitary sewer system.

D. If the owner or occupant of property with a private sewage disposal system fails to connect to the sanitary sewer as provided by this Section, then the Village may take any action necessary to do so, charging all costs of compliance to the property owner or occupant of the property, and the charges shall become (and shall be collectible as) a lien on the property.

#### **Section 5. Unlawful use.**

No person shall discharge any sanitary sewage, waste, wastewater, or other substance directly into a storm sewer, manhole, catch basin or sewer inlet. All discharges to the sewer shall be through a sewer connection. Nothing in this provision shall restrict the use of catch basins for storm water in the storm sewer system.

#### **Section 6. Industrial discharge.**

A. When the nature of the enterprise may create a potential environmental problem, the Village may require each person, industry or structure which applies for and receives sewer service to file the information listed below with the Village Superintendent of Public Services:

(1) A written statement setting forth the nature of the enterprise, the source and amount of water used, the amount of water to be discharged, with its present or expected bacterial, physical, chemical, radioactive, or other pertinent characteristics of the wastes.

(2) A plan map of the building, works, or complex, with each outfall to the surface waters, sanitary sewer, storm sewer, natural watercourse or groundwater's noted, described, and the waste stream identified.

(3) A plan for sampling, testing, and filing of reports with the Village regarding the appropriate characteristics of wastes on a schedule, at locations, and according to methods approved by the Village.

(4) A plan to place waste treatment facilities, process facilities, waste streams, or other potential waste problems under the specific supervision and control of persons who have been approved by the Village.

B. Any industry that plans to discharge a process waste may be required by the Village to construct a permanent monitoring structure at the point of discharge to the sanitary sewer, storm sewer or natural watercourse under the following terms and conditions:

(1) The design of the structure shall be approved by the Village before installation.

(2) The structure shall be constructed by the industry at its expense.

(3) The monitoring station shall be maintained in good operating condition by the industry at its expense. Any break in the operation of the station will require a written report stating the reason for the stoppage and a schedule of repair.

(4) Adequate access shall be maintained to the monitoring structure at all times to enable the Village to collect samples and flow records.

**Section 7. Prohibited discharge; exception.**

Except as provided herein, no person shall discharge or cause to be discharged into the Village sewage treatment plant any sewage or wastewater pumped or otherwise removed from a private sewage disposal system located outside the Village limits. In the event the Superintendent of Public Services and the Village President certify in writing that a private sewage disposal system located inside the Village limits poses an immediate threat to public health within the Village, any sewage or wastewater located in or originating from that private sewage disposal system may be pumped or otherwise removed and discharged into the Village sewage treatment plant as directed by the Superintendent of Public Services.

**DIVISION 3 - Private Sewage Disposal**

**Section 1. Nonavailability of sewer.**

Where a public sanitary sewer is not available under the provisions of Division 2, Section 4, the building sewer shall be connected to a private sewage disposal system in accordance with the provisions of this Division, in compliance with state law and the Benzie County Sanitary Code currently administered by the Benzie-Leelanau County Public Health Department where applicable.

**Section 2. Private disposal permit.**

No person shall construct or install a private sewage disposal system without first applying to the County Public Health Department and obtaining a written permit to construct and operate such a system. A permit for a private sewage disposal system shall not become effective until the installation is completed to the satisfaction of the Health Department official, who shall be allowed to inspect the work at any stage of construction.

**Section 3. Location of private sewage disposal systems.**

Where private sewage disposal systems are constructed, they must be located at least 100 feet from any surface water, natural or artificial drain or open joint, or tile drain unless otherwise approved by the Benzie-Leelanau County Public Health Department. All installations shall comply with existing state laws and regulations and with the Benzie-Leelanau County Sanitary Code then in effect.

**Section 4. Required abandonment of private facilities.**

At such time as a mandatory connection is required under Division 2, Section 4, any remaining septic tanks, cesspools, and similar private sewage disposal facilities shall be abandoned and filled with suitable material. All filling and demolition shall be subject to the approval of the County Public Health Department.



**Section 5. Continual operation.**

The owner of a private sewage disposal facility shall maintain and operate such facility in a sanitary manner at all times in compliance with the Benzie-Leelanau County Sanitary Code and at no expense to the Village.

**Section 6. Additional requirements.**

No statement contained in this Division shall be construed to interfere with any additional requirements that may be imposed by the Village or the Benzie-Leelanau County Public Health Department with respect to private sewage disposal.

**DIVISION 4. Building Sewers and Connections**

**Section 1. Unlawful procedure.**

It shall be unlawful for any unauthorized person or owner to uncover, excavate, tap into, make connections with or openings into, use, alter, or disturb any public sewer or appurtenance thereof in any public right of way within the Village or the service area without first obtaining a written permit from the Village as herein provided.

**Section 2. Authorization.**

All connections with any sewer in the service area shall be made only pursuant to written permits issued by the Village. The owner or his agent shall make application on a special form furnished by the Village Clerk. The Village Council may by resolution provide for permit and inspection fees which shall be paid to the Village Clerk at the time the application is filed.

**Section 3. Other fees and charges.**

In addition to permit and inspection fees, the Village Council shall by resolution establish a sewer connection tap fee.

**Section 4. Costs.**

All costs and expenses incident to the installation and connection of the building sewer shall be borne by the owner of the property. The owner shall indemnify the Village from all loss or damage that may be caused by the installation of the building sewer.

**Section 5. Plans and specifications.**

A. All applicants for sewer connection permits shall, when required, submit plans and specifications of all plumbing construction within and outside such building or premises and such plans and specifications shall meet the requirements of the local and state plumbing codes, the County Sanitary Code, and all orders, rules and regulations of the County Public Health Department. The approval of a connection permit shall also be contingent upon the availability of capacity in all downstream sewer, lift stations, force mains, and the sewage treatment plant including BOD and suspended solids capacity. When such plans and specifications have been approved by the Village or by such officials as they may designate, a sewer or plumbing permit shall be issued, subject to final inspection and approval when construction is completed.

B. Before the issuance of a permit to a person proposing to connect to and discharge non-domestic waste into the sewer system, the Village may require the applicant to submit a schedule for the construction of the sewer connection outlining when various components of the project will be completed. If the Village requires such a construction schedule, the timetables outlined in the schedule shall be maintained as a condition of the continued validity of the permit, unless extensions are granted in writing by the Village.

C. Final approval will be subject to compliance with the local and state plumbing codes and submission of as-built record drawings of the sewer connection. the Benzie-Leelanau County Sanitary Code, and all orders, rules and regulations of the Benzie-Leelanau County and Michigan Departments of Public Health.

#### **Section 6. Sewer requirements.**

A. All sewer connections shall be made with approved sewer pipe not less than six inches in diameter and at such locations in the public sewers where branches or wyes were placed for that purpose, if any. Where there are no wyes, the sewer may, for the purpose of making connections, be tapped under the direction and supervision of a representative of the Village; the connection shall be made by a saddle device approved by the Village. All work for the purpose of making sewer connections shall be done in compliance with the rules, regulations and codes governing plumbing in the Village in accordance with the laws of Michigan relative thereto.

B. A separate and independent building sewer shall be provided for every building, lot, or parcel of land having a connection to the municipal water system except where one building stands at the rear of another on an interior lot and no private sewer is available or can be constructed to the rear building through an adjoining alley, courtyard or driveway, the building sewer from the front building may be extended to the rear building and the whole considered as one building sewer.

C. The size, slope, alignment, materials of construction of a building sewer, and the methods to be used in excavating, placing of the pipe, jointing, testing and backfilling the trench shall all conform to the requirements of the local and the state plumbing codes. Procedures set forth in appropriate specifications of the ASTM and WPCF Manual of Practice No. 9 also shall apply.

D. Building sewers lying within 75 feet of a private water well or 200 feet of a municipal water well shall be constructed of special materials as specified by the Michigan Department of Public Health and/or the Benzie-Leelanau County Sanitary Code.

E. A building sewer shall be laid straight at a uniform grade. Only long radius elbows shall be used for changing alignment. Cleanouts on long building sewers shall be installed at approximately one-hundred-foot intervals, at locations where the alignment is changed, and where required by the Village.

F. Where rock or hard clay excavation is required, a six-inch sand or gravel cushion shall be placed around the pipe.

#### **Section 7. Inspection.**

A. The applicant for a building sewer permit shall notify the Village when the building sewer is ready for inspection. The Village or a designated representative shall then inspect the

building sewer and, if such construction meets the requirements of the building sewer permit, the applicant may backfill the excavation.

B. Upon final approval of any sewer connection, all sewer supports, the testing or backfilling of the sewer, including material and other elements contingent on completion of installation, shall comply with local and state plumbing codes and The County Building Codes.

#### **Section 8. New use of existing sewers.**

Existing building sewers may be used in connection with new buildings only when they are found, by a representative of the Village, to meet all requirements of this Ordinance.

#### **Section 9. Prohibited surface runoff connections.**

No person or owner shall make connection to roof downspouts, areaway drains, or other sources of surface runoff, or to a building sewer or building drain which in turn is connected directly or indirectly to a public sanitary sewer.

#### **Section 10. Prohibited groundwater connections.**

Exterior footing drains or other sources of groundwater shall not be connected to a building sewer or building drain which in turn is connected directly or indirectly to a public sanitary sewer.

#### **Section 11. Maintenance.**

A. The person whose sanitary sewer is connected to a public sewer is responsible for the maintenance of the sewer line from the wye in the trunkline public sewer to the most remote fixture or structure on their property. The cost of all repairs, maintenance and replacements of existing building sewers and their connection to public sewers shall be borne by the property owner. Before making any repairs or replacements or conducting any maintenance, the owner shall apply for a permit to perform such work from the Village. All work performed, including the qualifications of the person performing the work, shall fully comply with the requirements of this Division.

B. The Village shall not be responsible for interruptions of service due to natural calamities, equipment failures, or actions of the system users.

#### **Section 12. Excavation in Village Rights-of-Way.**

A. Whenever a person desires to do any excavating in any of the streets, lanes or alleys of the service area for the purpose of connection with a sewer, a permit for such excavation shall be obtained from the Village. The Village Council may from time to time by separate resolution establish a nonrefundable administrative fee for processing the excavation permit. The permit shall be nontransferable. The person employed to make the connection to the sewer shall hold a plumbing license or a sewer installer license in accordance with state and local codes. The qualifications of the persons employed to do work shall be verified at the time of application. A person who is authorized to excavate pursuant to the permit shall furnish a bond to the Village in an amount acceptable to the Village Council taking into account the nature and extent of the

excavation and in a form acceptable to the Village Attorney, conditioned for the faithful performance of the requirements of all the Village ordinances relative thereto.

B. All expenses for work done by the employees of the Village shall be borne by the person to whom the excavation permit is issued. Applications for excavations in paved streets shall state the maximum size of the opening to be made in the pavement and the length of time desired to do such work.

### **Section 13. Backfill requirements.**

When connections are to be made with any sewer in any public right of way, the earth and other debris excavated for this purpose shall be removed from the street and the trench backfilled with sand or gravel in layers not to exceed eight inches in thickness. Each layer shall be thoroughly and solidly packed in place. The backfill shall be finished to the same grade as the original surface. Where the existing right of way is cindered or graveled, the final eight inches of the backfill shall be made with gravel. Where the existing right of way is paved, the person charged with the duty of backfilling shall repave the trench to the same grade and using the same materials as the original pavement under the supervision of the Village Superintendent of Public Services no more than 30 days after the back fill is placed. The person charged with the duty of constructing or installing said underground work and backfilling shall be required to make frequent inspections of all trenches for which they are responsible and to maintain the same as herein provided. In case of failure to maintain trenches and backfill in such condition, the Village is authorized by this Division to make the necessary repairs and charge the total cost against the person responsible for the same. For the purpose of the sand or gravel backfill as required herein, the excavated material shall not be used except after securing written permission from the Village.

### **Section 14. Time limit on open trench.**

The person or owner causing any excavation or trench to be made in any public right of way shall be required to backfill and replace the trench as herein provided within a period of three (3) days, after work of excavating has been started, unless written permission is granted by the Village to allow the trench to be open for a longer period of time. In case of the failure to promptly refill any trenches within a period of three days, the Village shall have the right to cause the same to be refilled, and the expense shall be charged against the person or owner responsible for backfilling.

### **Section 15. Barricade requirements.**

Every person digging or causing to be dug any trench in any public street or thoroughfare, for the purpose of making connections with sewer mains, shall place or cause to be placed and maintained at and along such trench proper signals, colored lights and barricades to give warning and prevent accidents, but in no case shall a trench be dug so as to entirely block any street for travel, without the consent of the Village. All barricading shall be done in accordance with applicable standards. In case of the failure to properly barricade or light such excavations or trenches, the Village is authorized to cause the same to be lighted or barricaded and the expense thereof shall be charged against the person responsible for the opening. It shall not be necessary for the Village to notify the person responsible for such trenches in public streets or thoroughfares before undertaking any such work which is necessary for the safety and

convenience of the public. The failure on the part of persons installing such trenches to promptly pay all bills incurred by the Village doing such work shall be grounds for refusing to issue further permits for excavations in the streets.

#### **Section 16. Work on private property.**

Excavation and backfill for building sewers on private property may be made by the owner or the owner's agent. Connections and installation of the building sewer on private property may be made by the owner or the owner's agent; however, no backfill shall be placed until the pipe in place has been inspected and approved by a representative of the Village. All excavation, backfilling, connections, and installations shall be made in accordance with the requirements of this Ordinance.

#### **Section 17. Permit information.**

The Village shall keep a record of all permits granted under authority of this Division which shall include the names of the applicant and contractor, the location of the work, the place in the street where the excavation is to be made, and the purpose for which the permit is issued.

#### **Section 18. Village utilities outside Village limits.**

A. Property located outside the Village limits may connect to the Village's sewage system only if authorized by the Village Council and if permission is granted by the township in which the property is located. No property outside the Village limit has the right to connect to the Village sewer system even if other nearby property is being serviced by the sewer system. The Village may, but is not obligated to, require property outside the Village limits to either annex to the Village or be subject to an agreement under Act 425 of 1984 (MCL § 124.21 et seq.), as amended, or a similar statute, before connection to the Village sewage system is allowed.

B. In addition to the standard rate as set forth in Division 7, Section 2(B), sewer users outside the village will be required to pay a system administration fee to cover that portion of the sewer system cost not covered in the system's annual budget. This system administration fee will be equal to 100% of the standard rate.

### **DIVISION 5 - Use of Public Sewers**

#### **Section 1. Discharge limits.**

No person shall discharge or cause to be discharged any stormwater, surface water, groundwater, roof runoff, subsurface drainage, unpolluted cooling water or unpolluted industrial process waters to any sanitary sewer. Use of public sewers shall be limited to those discharges that are not harmful to the Village of Beulah sewage treatment plant. In the event that natural or man-made occurrences are detrimental to the sewage system or to the public health and welfare of the community, industrial wastes may be prohibited, wholly or in part, at any time.

#### **Section 2. Discharge to natural outlets.**

Storm water and all other unpolluted drainage shall be discharged to a natural outlet approved by the Village in compliance with rules and procedures of various agencies of the State of Michigan. Unpolluted industrial cooling water or unpolluted process waters may be discharged, upon approval of the Village, to a natural outlet. The Village has the right to exclude industrial or commercial waste, in whole or in part, for any reason.

### Section 3. Prohibited discharge.

Except as herein provided, no person shall discharge or cause to be discharged any of the following described waters or wastes, directly or indirectly, to any public sewer:

A. Broadly, any water or waste that may cause damaging, hazardous or unhealthful effects by:

- (1) Reacting chemically, either directly or indirectly, with the sewage system.
- (2) Having a mechanical action that will destroy or damage the sewage system.
- (3) Reducing the hydraulic capacity of the sewage system.
- (4) Restricting the normal inspection or maintenance of the sewage system.
- (5) Placing "unusual demands" on the sewage system or process.
- (6) Limiting the effectiveness of the sewage system.
- (7) Being dangerous to public health or safety.
- (8) Overloading the sewage system.

B. Any specific waste:

- (1) Having a pH below 5.5 or above 9.5.
- (2) Containing more than 10 mg/l of the following gases: hydrogen, sulfide, Sulphur dioxide, oxides of nitrogen, or any of the halogens.
- (3) Containing gasoline, benzene, naphtha, fuel oil, or any explosive liquid, solid or gas.
- (4) Containing any flammable substances with a flash point lower than 187° F.
- (5) Having a temperature below 32° F. or above 150° F, or which causes the effluent of the Village treatment plant to exceed 104° F.
- (6) Containing grease or oil or other substances that will solidify or become viscous at temperatures below 100° F.
- (7) Containing insoluble substance in excess of 10,000 mg/l.
- (8) Containing total solids (soluble or insoluble substance) in excess of 20,000 mg/l.

- (9) Containing soluble substance in concentrations that would increase the viscosity to greater than 1.1 specific viscosity.
- (10) Containing insoluble substance having a specific gravity greater than 2.65.
- (11) Containing insoluble substance that will fail to pass a No. 8 standard sieve or having any dimension greater than 1/2 inch.
- (12) Containing gases or vapors, either free or occluded, in concentrations toxic or dangerous to humans or animals.
- (13) Having a chlorine demand greater than 15 mg/l in 30 minutes.
- (14) Containing phenols in excess of 1.0 mg/l.
- (15) Containing any toxic or irritating substance which will create conditions hazardous to public health and safety.
- (16) Containing grease, oil or any oily substance exceeding 100 mg/l.
- (17) Containing radioactive wastes or isotopes of such half-life or concentration that they are in noncompliance with regulations issued by the appropriate authority having control over their use.
- (18) Being of sufficient flow or concentration, or both, to be defined as a "slug" under this Ordinance.
- (19) Containing any sludge or precipitates or extractions resulting from any industrial or commercial treatment or pretreatment of any wastes of such.
- (20) Containing any wastes of such character and quantity that unusual attention or expense is required for processing.
- (21) Having discharge concentrations of incompatible pollutants exceeding the standards of the latest published guideline established by the state and federal governments for the effluent of the Village treatment plant as provided in this Ordinance.
- (22) Containing any ashes, cinders, sand, mud, straw, shavings, metal, glass, rags, feathers, tar, plastics, wood, paunch manure, or any other solid or viscous substance capable of causing obstruction to the flow in sewers or other interference with the proper operation of the sewage works.
- (23) Containing any wastes having any other corrosive properties capable of causing damage or hazard to structures, equipment, and personnel of the sewage works.

- (24) Containing any water and/or waste not complying with all NPDES permit requirements, pretreatment standards, and all other unspecified state and federal regulations.
- (25) Containing more than five mg/l of any antiseptic substance.
- (26) Containing toxicants in excess of the maximum allowable concentrations listed below:

**Maximum Concentration Allowable (milligrams per liter)  
Toxicants Average of Daily Values for Four Consecutive Days**

Arsenic	0.5
Cadmium	0.1
Chromium, Total	2.0
Copper	**
Cyanides	1.0
Lead	0.5
Mercury	Non-detectable
Nickel	2.5
Phenol	1.0
Silver	0.3
Zinc	1.5
PFAS/PFOS	TBD

NOTE: \*\* Copper limits will be established on a case-by-case basis. The Village and affected industry will enter into a separate contract regarding copper limitations. At no time will the discharge from the industries cause the Village to be out of compliance with its NPDES copper limitation.

**Section 4. Grease and oil.**

A. Grease, oil, sand interceptors and conventional grease traps shall be provided by the Owner when, in the opinion of the Village, they are necessary for the proper handling of liquid wastes containing grease in excessive amounts, or any flammable wastes, sand, and other harmful ingredients; except that such interceptors shall not be required for private living quarters or dwelling units. All interceptors shall be of a type and capacity approved by the Village and shall be located as to be readily and easily accessible for cleaning and inspection.

B. Grease and oil interceptors shall be constructed of impervious materials capable of withstanding abrupt and extreme changes in temperature. They shall be substantially constructed, watertight, and equipped with easily removable covers which when bolted in place shall be gastight and watertight.

C. Where installed, all grease, oil and sand interceptors shall be maintained by the owner, at his or her expense, in continuously efficient operation at all times.



### **Section 5. Point of application.**

The above preceding standards and regulations are to apply at the point where the wastes are discharged into a public sewer, and all chemical and/or mechanical corrective treatment must be accomplished to practical completion before this point is reached; provided, however, an industry subject to federal regulation under 40 CFR 403, as amended, shall meet the preceding standards at the end of the pretreatment process.

### **Section 6. Preliminary treatment.**

Where necessary in the opinion of the Village, the owner shall provide, at his expense, such preliminary treatment as may be necessary to reduce objectionable characteristics or constituents to within the maximum limits as provided for in Division 5, Sections 3 and 4, and/or control the quantities and rates of discharge of such waters or wastes. Plans, specifications, and any other pertinent information relating to proposed preliminary treatment facilities shall be submitted for the approval of the Village and of the state regulating agencies and no construction of such facilities shall be commenced until said approvals are obtained in writing.

### **Section 7. Pretreatment of incompatible pollutants.**

Persons discharging incompatible pollutants, other than those described in this article, which are strictly prohibited from being discharged into the sewage system, shall reduce their incompatible pollutants to levels attainable through the application of the best available technology (BAT) economically achievable as defined in the Clean Water Act of 1977 (P.L. 95-217), as amended. If it is found by the Village that certain incompatible pollutants can be reliably removed by the treatment plant, the Village may enter into a contract with the person making the discharge for the purpose of treating the pollutants for a fee, and allowing the discharge. Attainment of allowed concentrations by dilution will not be allowed as a manner to meet discharge standards. Nothing in this section shall be construed to allow a user subject to federal regulation under 40 C.F.R. 403 to violate applicable federal regulations.

### **Section 8. Pretreatment of excess pollutants.**

Persons discharging compatible pollutants in excess of the limits listed below shall be subject to review by the Village. The Village shall determine the type or amount of pretreatment required at the user's expense or may enter into a contract with the person making the discharge for the purpose of treating the pollutants for a fee and allowing the discharge. The discharge from a user shall be subject to the provisions of this Division when the following limits are exceeded:

- A. Five-day BOD greater than 250 mg/l.
- B. Oil or grease greater than 100 mg/l.
- C. Total phosphorus greater than 12 mg/l.
- D. Average daily flow exceeding 3% of the total daily design flow of the sewage treatment plant.
- E. Suspended solids greater than 250 mg/l.
- F. Any waste containing COD of 500 mg/l or greater.

### **Section 9. Installation of control manholes.**

When the Village has determined that it is necessary to ascertain the character of discharge to the public sewage system, the owner of such property served by a sewer connection or connections shall install approved control manholes on the connections to allow observations, sampling and measurements of all substances discharged therein. The Village may require the user to sample and measure all substances discharged into the public sewer at user's expense. The Village may determine the frequency of the sampling and metering in any permits issued pursuant to this Ordinance. The cost of the manholes and all equipment considered necessary by the Village for sampling and metering, and all installation and operation of the sampling and metering equipment, shall be at the expense of the user. The Village shall approve all equipment prior to installation.

### **Section 10. Control manhole locations.**

All control manholes shall be located on the user's property in an open and accessible area. The control manholes shall be constructed on the sewer connection. If the property is fenced, a gate shall be provided at the manhole location with provision for a lock to be provided to the Village. If the user does not want direct access to his property for security or other reasons, he or she shall at his or her expense, construct a security fence around the control manhole of an area acceptable to the Village. The Village may allow control manholes in the street right-of-way in an approved manner and location.

### **Section 11. Location drawings.**

The user shall provide an approved sketch to the Village for its records, showing the locations of all control manholes. The manholes shall be located from both street lines and building lines. The sketch shall show the roadways and access points to the control manholes and note entry limitations, if any, and the telephone number and person to contact for entrance when necessary and any other data considered pertinent by the Village. Each control manhole shall be identified by name and number assigned by the Village. Ample space shall be provided around the control manholes and shall be maintained free and clear by the owner at all times.

### **Section 12. Right of inspection.**

The Village may inspect the facilities of any user to determine whether the purpose of this Ordinance is being met and all discharge requirements are being complied with. Persons or occupants of premises where sewage or other wastes are created or discharged shall allow the Village ready access, and make provisions for emergency access, to all parts of the premises for the purposes of inspection or sampling or in the performance of such governmental function. Where a user has security measures in force, the user shall make necessary arrangements, acceptable to the Village, with his or her security, so that upon presentation of suitable identification, the Village representative will be permitted to enter without delay for the purposes of carrying out his or her responsibilities. If the control manhole is locked, a key to the control manhole shall be furnished to the Village.

### **Section 13. Accidental discharge.**

All persons discharging wastes to the sewage system shall notify the Village Superintendent of Public Services upon accidentally discharging wastes in violation of this Ordinance. The notification shall be made as soon after the accidental discharge as possible but in no case more than 30 minutes after the accidental discharge is discovered. This notification shall be followed within 15 days by a detailed written report, describing the causes of the accident and the measures being taken to prevent future occurrences. Dates shall be set for completion of such measures and the completion shall be reported to the Village Superintendent of Public Services. Notification will not relieve users of liabilities for any expense, loss or damage to the system or downstream, or for any fines imposed on the Village on account thereof.

### **Section 14. Confidential status of information.**

All information and data obtained from a user shall be available to the public without restriction unless the user specifically requests the information be classified confidential on the basis of proprietary processes. When information is classified confidential, the Village shall provide proper and adequate facilities and procedures to safeguard the confidentiality of manufacturing proprietary processes, except that confidentiality shall not extend to waste products discharged to the waters of the state.

### **Section 15. Measurements.**

All measurements, tests, and analyses of the characteristics of water and wastes to which reference is made in Division 5, Section 3 and 4, shall be determined in accordance with Standard Methods for the Examination of Water and Sewage, and shall be determined at the control manhole provided for in Division 5, Section 9, or upon suitable samples taken at said control manhole. In the event that no special manhole has been required, the control manhole shall be considered to be the nearest downstream manhole in the public sewer to the point at which the building sewer is connected. In addition to the "Standard Methods", all testing should conform with Guidelines Establishing Test Procedures for Analysis of Pollutants as published in October 16, 1973 Federal Register (40 CFR 136).

### **Section 16. Special agreement.**

No statement contained in this Division shall be constructed as preventing any special agreement or arrangement between the Village and any industrial concern whereby an industrial waste of unusual strength or character may be accepted by the Village for treatment, subject to payment therefor by the industrial concern. Nothing in this section shall permit noncompliance by the user with the maximum concentration limits previously set forth in this Division or with applicable federal regulations.

## **DIVISION 6 - Extension of Public Sewers**

### **Section 1. Procedure established.**

The procedures established in the Division shall apply in charging and allocating the pro-rata share to benefited property owners of all costs and expenses for extending any and all public sewers into any area where public sewers are not present.

**Section 2. Special assessments.**

In certain instances, the Village, by a majority vote of the entire Council, may elect to extend public sewers and finance the project by use of a special assessment district. The charge to be assessed each property owner benefited and served shall be calculated based on a formula as determined by the Village Council. The charge to each benefited property owner shall be assessed at the time of project completion and shall be paid as specified by the Village. The charge shall bear interest at the rate of 6% per annum, compounded annually, accruing from the date of project completion to the date of payment.

**Section 3. Application for connection.**

The owner of any property in the Village may connect to the Village sewage system pursuant to the provisions of this Division contingent upon the availability of capacity of the sewage system. An owner who desires to connect to the Village sewage system shall file an application for sewer service extension with the Clerk and pay a nonrefundable fee to be established by resolution of the Village Council. This fee shall be used by the Village to cover the costs of outlining the approximate material and specifications needed to complete the public sewer extension.

**Section 4. Village sewer service outside Village limits.**

The owner of property located outside the Village limits may connect to the Village sewage system only pursuant to the requirements of Division 4, Section 18, of this Ordinance.

**Section 5. Route of sewer service extensions.**

The route of any public sewer extension shall be within the public rights-of-way or within public utility easements granted to and approved by the Village across private property. All excavation and other work performed within the public rights-of-way shall comply with the requirements of Division 4 of this Ordinance.

**Section 6. Cost of sewer service extensions.**

A. As soon as possible after receiving the sewer extension application and fee, the Superintendent of Public Services shall provide the property owner with a written list of the approximate material and specifications needed to complete the public sewer extension. The property owner shall then have 90 days to inform the Superintendent of Public Services whether the person desires to proceed with the public sewer extension and to hire, subject to the approval of the Superintendent of Public Services, an engineer and contractor to complete the public sewer extension in full compliance with the specifications and requirements of the Superintendent of Public Services. If the property owner fails to inform the Superintendent of Public Services regarding his or her intent within this 90-day period, this inaction shall be deemed a decision to abandon the plans for a public sewer extension.

B. Once the plans for the public sewer extension have been approved by the Superintendent of Public Services, the contractor can begin and complete the public sewer extension in full compliance with the specifications and requirements of the Superintendent of Public Services and subject to final inspection by the Superintendent of Public Services. After the public sewer extension project is completed, the property owner requesting the extension shall submit to the Clerk written invoices documenting the costs actually paid by the property owner to the engineer

and/or contractor for the public sewer extension project. The property owner shall then be entitled to reimbursement of a portion of the costs actually paid pursuant to Sections 7 and 8 below.

**Section 7. Additional users.**

A. The owners of property located between a public sewer prior to any extension and the property to be initially serviced by the public sewer extension (including the property across the street, alley, or public utility easement within which the public sewer extension is located) may tap into or make use of the extended public sewer by paying to the Water and Sewer Clerk a sewer extension fee equal to the proportionate share of the total cost of extending the public sewer plus any interest provided in Subsection B below. For purposes of this section, the proportionate share of the cost of extending the public sewer shall be calculated pursuant to the following formula:

[Cost Paid Under Section 6.B/ (Total Street Frontage of Other Property Capable of Development and Connection to the Extended Public Sewer\*)] x (Total Street Frontage of Parcel Connecting to the Extended Public Sewer)

\*NOTE: A property is deemed capable of development and connection to the extended public sewer if that property is capable of development in terms of topography, wetlands, and zoning ordinance requirements such that it is reasonable to anticipate that connections to the extended public sewer may be made in the future.

B. The proportionate share of the cost of extending the public sewer shall be increased by 7% per annum (compounded annually) commencing one year after the cost paid under Section 6/B above by the property owner who initially requested the public sewer extension; provided, however, that this increase shall not extend for a period of more than five years.

**Section 8. Reimbursement to original property owner.**

Upon receipt of any payment under Section 7.A above, the Clerk shall pay that amount forthwith to the property owner who paid the initial costs of the public sewer extension pursuant to Section 6.B above. If the property owner who paid the initial costs of the public sewer extension is deceased, the payments received shall be paid to his or her personal representative or to other persons who by law would be entitled to inherit his or her estate as may be determined by a court of competent jurisdiction. If the property owner who paid the initial costs of the public sewer extension cannot be found, or if no claim is made for reimbursement for a period of one year from the date that payments under Section 7.A have been received by the Water and Sewer Clerk, the reimbursement under this section shall be deemed to have been waived and all monies so received shall be turned over and become a part of the Village sewer fund.

## **DIVISION 7 -Charges for Collection and Treatment Services**

### **Section 1. Public utility.**

A. The sanitary sewers and wastewater treatment facility of the service area shall be operated and maintained on a public utility basis in accordance with applicable federal regulations and the provisions of Act 94, Public Acts of Michigan, 1933, as amended.

B. The system shall be operated on the basis of an operating year commencing on January 1 and ending on the last day of December next following.

### **Section 2. Purposes, basis and rates of user charges.**

A. All premises which are required by the provisions of this Ordinance to connect, either directly or indirectly, to the sanitary sewers of the service area shall pay user charges beginning on the date of connection to the wastewater collection system.

B. User charges and rates will be established by resolution of the Council and may be changed from time to time as may be necessary to produce sufficient amounts:

- (1) Flat fee per quarter for each Unit for the recovery of the costs of operation, maintenance and replacement for the wastewater collection and treatment system.
- (2) Debt service.
- (3) Usage Charge will be based on a Unit's metered water usage per 1,000 gallons.

C. Units without metered water service will be charged a flat rate based on estimated average water usage.

### **Section 3. Special rates.**

Where sewage disposal service is furnished to users not connected to the water system or in cases where users make use of large quantities of water which may be discharged into storm sewers or approved outlets other than the sanitary sewer system, or for other miscellaneous users of water for which special consideration should be given, special rates may be fixed by the Village.

### **Section 4. Review of rates.**

The Village of Beulah Public Services Committee will review the adequacy of the user charges annually. The user charges shall be revised periodically to reflect a change in debt service or a change in operation, maintenance and replacement costs in accordance with applicable federal regulations. The Public Services Committee will update their rate study annually and offer an opinion to the Village Council as to the adequacy of rates to cover these expenses.

**Section 5. Establishment of charges by resolution.**

The user charges, surcharges and any fees to be imposed shall be in accordance with the respective schedule for such charges as established by the Village from time to time. Any changes of such charges shall be established by the Village Council by resolution.

**Section 6. Bills.**

Bills for user charges will be rendered quarterly and will be payable without penalty within 10 days after the date thereon. Payments received after such period shall bear a late fee as established by the Village.

**Section 7. No free services.**

No free service shall be furnished by the system to any person, firm, or corporation, public or private, or to any public agency or instrumentality.

**DIVISION 8 - Allocation of Revenues**

**Section 1. Receiving fund accounts.**

The revenues of the system shall be deposited as required by law, rule, or regulation.

**Section 2. Investments.**

Monies in any fund or account established by the provisions of this chapter may be invested in obligations of the United States of America in the manner and subject to the limitations provided in Act 94, Public Acts of Michigan, 1933 (MCL § 141.101 et seq.), as amended. In the event such investments are made, the security representing the same shall be kept on deposit with the bank or trust company having on deposit the fund or funds from which such purchase was made. Income received from such investments shall be credited to the fund from which said investments were made.

**DIVISION 9 - Protection from Damage**

**Section 1. Penalties.**

A. Municipal civil infractions; penalties. Any person who violates any provision of this Ordinance shall be responsible for a municipal civil infraction as defined in Public Act 12 of 1994, amending Public Act 236 of 1961, being Sections 600.101 to 600.9939 of Michigan Compiled Laws, and shall be subject to a fine of not more than \$500. Each day this Ordinance is violated shall be considered as a separate violation.

B. Enforcement officials. Village officials designated by resolution of the Village Council, are hereby authorized to issue municipal civil infractions under this Ordinance directing offenders to appear in court.

C. Nuisance per se. A violation of this Ordinance is hereby declared to be a nuisance per se and is declared to be offensive to the public health, safety and welfare.

D. Civil remedies. In addition to enforcing this Ordinance through the use of a municipal civil infraction proceeding, the Village may initiate proceedings in the Circuit Court to abate or eliminate the nuisance per se or any other violation of this Ordinance.

**Section 2. Liability.**

Any person violating any of the provisions of this Ordinance shall become liable to the Village for any expense, loss, or damage occasioned the Village by reason of such violation.

**Section 3. Right of entry.**

The Village and/or duly authorized representative(s) shall be permitted to enter all properties for purposes of inspection, observation, measurement, sampling and testing in accordance with the provisions of this Ordinance whether or not an easement has been granted. The Village shall have no authority to inquire into any processes including metallurgical, chemical, oil, refining, ceramic, paper, or other industries beyond that point having a direct bearing on the kind and source of discharge to the sewerage system or waterways. This section may be enforced by an administrative search warrant issued by a court of competent jurisdiction.

**Section 4. Inspection of records.**

The Village and/or duly authorized representative(s) shall have the authority to inspect and copy records of users relating to waste and the components thereof discharged into the Village sewer system. This section may be enforced by an administrative search warrant issued by a court of competent jurisdiction.

**Section 5. Emergency powers.**

When any person violates a provision of this Ordinance and such violation, in the opinion of the Village, would result in an actual or threatened discharge of waste which presents or may present an imminent or substantial endangerment to the health or welfare of persons, to the environment, causes interference to the sewage system, or causes the Village to violate any conditions of its NPDES permit, the Village may order the immediate suspension of all sewer service to that property at which the violation occurs. If the person notified of the immediate suspension of sewer service is unable or does not comply with that order, the Village shall take such steps as it deems necessary, including the immediate severance of the sewer connection, to prevent or minimize the health danger to any individual, the danger to the environment, the damage to the sewerage system, or the violation of its NPDES Permit. The Village shall reinstate sewer service to the property upon proof that the event causing the Village to take emergency action under this section has been eliminated. Within 15 days of the event triggering the Village's emergency powers, the user shall submit to the Village a detailed written explanation describing the cause of the violation and the measures taken to prevent any future occurrences.

**DIVISION 10 - Revocation of Permits**

**Section 1. Revocation of permits.**

Any permit issued under this Ordinance may be revoked by the Village at any time for a violation of this Ordinance, for a violation of a condition of the permit, or if the permit was



issued on materially false or misleading information. Such revocation shall be in addition to any other penalty provided in this Ordinance.

### **Section 2. Notification of violation.**

Before any permit is revoked, the Village Clerk shall send to the permit holder a written notice of revocation. The notice shall describe the basis for the revocation and give 30 days in which the permit holder shall correct the violation. The notice may be served personally or may be sent by first-class mail to the last known address of the permit holder. The time period shall commence on the date of the personal service, or, in the case of mailing, service shall be deemed to have taken place on the date of mailing.

### **Section 3. Show-cause hearing.**

If the permit holder does not correct the violation within the 30 days provided in the notice of revocation, then the Village Council may, but is not required to, issue a notice for a show-cause hearing before the Council. The purpose of this hearing is to give the permit holder an opportunity to show cause why the permit should not be revoked. The show-cause notice shall specify the date, time, and location of the hearing. The notice may be served personally or may be sent by first-class mail to the last known address of the permit holder. Any permit holder served with a show-cause notice as provided in this section shall not be required to attend the hearing.

## **DIVISION 11 – Enforcement**

### **Section 1. Enforcement of Provisions.**

A. The charges and rates for sewer services authorized under the provisions of Section 21 of Act 94 of the Public Acts of 1933 (MCL § 141.121), as amended, shall constitute a lien on all premises served thereby whenever any such charges or rates shall be delinquent for six months or more, unless notice is given that a tenant is responsible for the payment of all such charges and rates. On April 1 of each year, the Water and Sewer Clerk shall certify to the tax assessing officers for the Village the fact of such delinquency, whereupon such delinquent charges and rates shall be entered upon the next tax roll as charges against such premises and shall be collected and the lien thereof enforced in the same manner as general taxes against such premises; provided, however, where notice is given that a tenant is responsible for such charges and service as provided by Section 21 of Act 94 of the Public Acts of 1933, as amended, no further service shall be rendered to such premises until a cash deposit in an amount established by the Village Council shall have been made as security for payment of such charges and service.

B. Delinquent charges to constitute lien; termination of service. In addition, the Village shall have the right to shut off sewer service to any user for whom charges for sewer service are one month delinquent or when any connection is found to be in violation of any provision of this Ordinance. Before shutting off sewer service, the Sewer and Sewer Clerk shall send written notice by first class mail of the Village's intent to terminate sewer service to the owner of the premises served or to the tenant in possession where a notice is given that the tenant is responsible for such charges and service. If sewer service is shut off pursuant to this section,

